EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4200	(greater or exceed$3 or larger or higher) with threshold same (lower or down$1grad$3 or adjust $3 or chang$3 or mov$3 or transfer$4 or switch$3) with (queu$3 or buffer$3 or fifo)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 13:16
L2	175	(greater or exceed$3 or larger or higher) with threshold same (low or low$3 or lower or down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4 or switch$3) with (priority or queu$3 or buffer$3 or fifo) and 370/229.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 13:18
L3	16	(greater or exceed$3 or larger or higher) with threshold same (low or low$3 or lower or down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4 or switch$3) with (priority or queu$3 or buffer$3 or fifo) with (evaluat$3 or statistic$3 or calculat$3 or decision or assess$4 or analysis or estimat$3) and 370/229. ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 13:24
L4	5	(greater or exceed$3 or larger or higher) with threshold same (low or low$3 or lower or down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4 or switch$3) with (priority or queu$3 or buffer$3 or fifo) with (evaluat$3 or statistic$3 or calculat$3 or decision or assess$4 or analysis or estimat$3) and 370/229. ccls. and	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 13:26

		@ad<"19990108"				
L5	1	(greater or exceed$3 or larger or higher) with threshold same (low or low$3 or lower or down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4 or switch$3) with (priority or queu$3 or buffer$3 or fifo) with (evaluat$3 or statistic$3 or calculat$3 or decision or assess$4 or analysis or estimat$3) and 370/229. ccls. and @ad<"19990108" and monitor$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 13:53
L6	4	(greater or exceed$3 or larger or higher) with threshold same (low or low$3 or lower or down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4 or switch$3) with (queu$3 or buffer$3 or fifo) with priority and 370/229.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:37
L7	11	(greater or exceed$3 or larger or higher) with threshold same (low or low$3 or lower or down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4 or switch$3) with (queu$3 or buffer$3 or fifo) with (class or priority or traffic) and 370/229.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:37
L8	3	(greater or exceed$3 or larger or higher) with threshold same (low or low$3 or lower or down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4) with (low$3 or down$1grad$3) with (queu$3 or buffer$3 or fifo) with (class or priority) and 370/229.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:57

L9	3	(greater or exceed$3 or larger or higher) with threshold same (low$3 or down$1grad$3 or adjust $3 or chang$3 or mov$3 or transfer$4) with (low$3 or down$1grad$3) with (queu$3 or buffer$3 or fifo) with (class or priority) and 370/229.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:57
L10	6	(greater or exceed$3 or larger or higher) with threshold same (low$3 or down$1grad$3 or adjust $3 or chang$3 or mov$3 or transfer$4) with (low$3 or down$1grad$3) with (queu$3 or buffer$3 or fifo) with (class or priority) and 370/230.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:59
L11	5	(greater or exceed$3 or larger or higher) with threshold same (low$3 or down$1grad$3 or adjust $3 or chang$3 or mov$3 or transfer$4) with (low$3 or down$1grad$3) with (queu$3 or buffer$3 or fifo) with (class or priority) and 370/230.ccls. and @ad<"19990108" and ((quality with service) or QoS)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:01
L12	13	(greater or exceed$3 or larger or higher) with threshold same (low$3 or down$1grad$3 or adjust $3 or chang$3 or mov$3 or transfer$4) with (queu $3 or buffer$3 or fifo) and 370/230.ccls. and @ad<"19990108" and ((quality with service) or QoS)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:27

L13	8	(greater or exceed$3 or larger or higher) with threshold with (low$3 or down$1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4) with (queu$3 or buffer$3 or fifo) and 370/230.ccls. and @ad<"19990108" and ((quality with service) or QoS)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:28
L14	0	(greater or exceed$3 or larger or higher) with threshold with (down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4) with (queu$3 or buffer$3 or fifo) with (low$3 or second) with priority and 370/230.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:34
L15	2	(greater or exceed$3 or larger or higher) with threshold with (down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4) with (queu$3 or buffer$3 or fifo) with (low$3 or second) with priority and "370"/$.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:34
L16	7	(greater or exceed$3 or larger or higher) with threshold with (down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4) with (low$3 or second) with priority and "370"/$.ccls. and @ad<"19990108" and ((quality with service) or QoS)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:37
L17	18	(greater or exceed$3 or larger or higher) with threshold with (down $1grad$3 or adjust$3 or chang$3 or mov$3 or transfer$4) with (low$3 or second) with priority and (queu$5 or buffer$3 or fifo) and "370"/$.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:52

L18	159	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second) with (queu$5 or buffer$3 or fifo) and "370"/$.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 16:08
L19	37	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second) with (queu$5 or buffer$3 or fifo) with priority and "370"/$.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 16:08
L20	159	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second) with (queu$5 or buffer$3 or fifo) and "370"/$.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 16:37
L21	159	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and "370"/$.ccls. and @ad<"19990108"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 16:37
L22	116	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and "370"/$.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 16:38
L23	13	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/229.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:00

L24	11	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/230.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:23
L25	1	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/230.1.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:45
L26	6	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/231.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:46
L27	15	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/232.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:56
L28	4	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/233.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 18:19

L29	3	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/234.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 18:25
L30	23	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/235.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 18:29
L31	2	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/428.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 18:44
L32	4	(greater or exceed$3 or larger or higher) with threshold with (low$3 or low or lower or second or down$1grad$3) with (queu$5 or buffer$3 or fifo) and 370/429.ccls. and @ad<"19990108" and ((quality with service) or QoS or priority)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 18:46

12/2/2009 6:48:59 PM